# Safety Data Sheet 91133 Trim Cleaner<sup>TM</sup>



Copying and/or downloading of this information for the purpose of properly utilizing Stoner Inc., product is allowed provided that: (1) the information is copied in full with no changes unless prior agreement is obtained from Stoner Inc., & (2) neither the copy nor the original is resold or otherwise distributed with intention of earning profit thereon.

1. IDENTIFICATION			
Stoner Incorporated	Product Name:	Trim Cleaner™	
1070 Robert Fulton Hwy.	Product Code:	91133	
Quarryville, PA 17566	Product Use:	Cleaner	
1-800-227-5538	24-hour emergency phone:	1-800-424-9300 [CHEMTREC]	
2. HAZARD IDENTIFICATION			
POTENTIAL HEALTH EFFECTS Classification of the chemical in accordance with parag GHS Hazard Symbols	graph (d) of §1910.1200;		
Serious Ey	er pressure - Liquified Gas /e Damage/Eye Irritation Category 1 nicity Category 1B		
Signal Word Danger	Danger		
Causes set	Contains gas under pressure; may explode if heated. Causes serious eye damage. May cause cancer.		
Precautionary Statements			
Do not ha Wear prot	ecial instructions before use. hdle until all safety precautions have been re ective gloves/protective clothing/eye protect hal protective equipment as required.		
Continue r IF exposed		ninutes. Remove contact lenses, if present and easy to do.	
Storage Store lock Protect fro	ed up. m sunlight. Store in a well-ventilated place.		
Dispose of Dispose of	f contents/container in accordance with loca	l/regional/national/international regulation for hazardous wastes.	

### **3. COMPOSITION/INFORMATION ON INGREDIENTS**

COMPONENT Hydrocarbon propellant Anionic surfactant Glycol ether Organic acid Salts	CAS # 68476-86-8 577-11-7 111-76-2 MIXTURE 7632-00-0	Percent 1-20 1-20 1-20 0.1-0.99 0.1-0.99		
HMIS® III* HAZARDOUS WARNING Health: 2		Physical: 0	Personal Protective	See Section 8

\* See www.paint.org/hmis or call the NPCA at 1 (202) 462-6272 for more information on this current rating system.

Equipment:

#### 4. FIRST AID MEASURES

Eyes:	Immediately flush eyes gently with plenty of water for at least 15 minutes while holding eyelids apart. If symptoms persist or there is visual difficulty, seek medical attention.
Skin Contact:	In case of contact, immediately wash contaminated area with plenty of water for at least 15 minutes. Seek medical attention if symptoms persist. Wash clothing before reuse. For liquid contact, treat for frostbite if necessary.
Ingestion:	Ingestion is an unlikely route of exposure. Contact a physician, medical facility, or poison control center for advice on whether to induce vomiting.
Inhalation:	Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Keep the victim warm and quiet. Seek immediate medical attention.

#### NOTES TO PHYSICIAN:

No additional first aid information available.

## 5. FIRE FIGHTING MEASURES

Fire and/or Explosion Hazards:	Product is water based material, containing minor amounts of flammable ingredients. This product contains a component(s) that is considered an extremely flammable gas(es), which has vapors that are heavier than air and
	may travel along the ground or be moved by ventilation and ignited by heat, pilot lights, or other flames and ignition sources at locations distant from the material's handling point.
Fire Fighting Instructions:	Use CO2, foam or dry chemical. Water is generally not effective and may spread fire; however, water spray may be used from a safe distance to cool closed containers and protect surrounding area.

#### 6. ACCIDENTAL RELEASE MEASURES

#### STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Remove all sources of ignition. Wear appropriate personal protective equipment (PPE). Stop or reduce discharge if it can be done safely. Ventilate contaminated area. Avoid run-off into storm sewers and ditches which may lead to natural waterways. If runoff occurs, notify authorities as required. Clean up with absorbent material. Place absorbent materials into container and close it tightly. Dispose of container properly. Place waste material into container and close it tightly. Dispose of container properly.

#### 7. HANDLING AND STORAGE

Handling: This material can be harmful or irritating. Use with adequate ventilation. Normal precautions common to safe manufacturing practice should be followed in handling and storage. Avoid prolonged or repeated breathing of vapor. Avoid prolonged or repeated contact with skin. Wash hands thoroughly after handling. If ventilation is not sufficient, wear proper respiratory equipment. Avoid prolonged or repeated contact with skin. Do not use near ignition sources. Avoid prolonged or repeated breathing of vapor.
Storage: Do not store at temperatures above 120 degrees F. Store away from incompatible materials such as materials that support combustion (oxidizing materials) and corrosive materials (strong acids or bases). Keep from freezing. Store at temperatures between 45° and 99° F. Normal precautions common to safe manufacturing practice should be followed in handling and storage. Store in a cool, dry, well ventilated area away from all sources of ignition.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: Eye Protection:	Ventilation is required to maintain operator exposure below published exposure limits. Ventilation should be adequate to prevent exposures above the limits indicated below in this section of the MSDS (from known, suspected or apparent adverse effects). Local exhaust should be used in areas where exposure limits may be exceeded. Wear chemically resistant safety glasses with side shields when handling this product. Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid or extended to the protection be added			
Skin Protection:	airborne material. Do not wear contact lenses. Have an eye wash station available. The use of chemically resistant gloves is recommended if there is any possibility of prolonged or repeated liquid contact with skin.			
Respiratory Protection:	Use NIOSH approved respirator where there is likelihood of inhalation of the product mist, spray or aerosol.			
COMPONENT Hydrocarbon propellant	<u>CAS #</u> 68476-86-8	ACGIH TLV 1000ppm	OSHA PEL Not established	OTHER Not established
Anionic surfactant	577-11-7	Not established	Not established	10 mg/m3 TWA (WEEL)
Glycol ether	111-76-2	20 ppm [skin]	Not established	Not established
Organic acid	MIXTURE	Not established	2 mg/m <sup>3</sup>	Not established
Salts	7632-00-0	Not established	Not established	Not established

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Appearance: Odor: Odor Threshold: pH: Melting/Freezing Point (°F): Boiling Point (°F):

Flash Point (°F PMCC): Evaporation Rate: Flammability (solid, gas): Percent VOCs (%):

## 10. STABILITY AND REACTION

Chemical Stability: Conditions to Avoid:

Decomposition Products:

Aerosol can Clear Colorless Slight Alcohol None 10 - 11.5 No data available No data available Not applicable Not determined

No data available

1 - 20

Lower Flammability Limit (%):NotUpper Flammability Limit (%):NotVapor Pressure (PSIG @ 70°F):48Vapor Density [air = 1]:1.0Relative Density (H2O=1):0.5Solubility in Water:NotPartial Coefficient: n-Notoctanol/water:Autoignition Temperature (°F):NotDecomposition Temperature (°F):NotViscosity, dynamic (cSt):Not

Not applicable Not applicable 48.0 1.08 0.99 Not determined No data available Not applicable No data available No data available

Aquatic LC50 (96h) Algae 6500 - 13000 mg/L

Stable. Avoid contact with: Strong oxidizing agents. Ignition sources such as open flames, sparks, static discharges or glowing metal surfaces. Strong alkalies. Burning can produce the following combustion products: Carbon dioxide and carbon monoxide. Oxides of sulfur.

# 11. TOXICOLOGICAL INFORMATION

Reproductive & Developmental Toxicity:	No data available.		
Ingredient	CAS #	Toxicological Data	
Hydrocarbon propellant	68476-86-8	No data available	
		Inhalation LC50 (4h) Rat 658 mg/L	
Anionic surfactant	577-11-7	Oral LD50 Rat 9460 mg/kg	
Glycol ether	111-76-2	Dermal LD50 Mouse > 3500 mg/kg	
•		Oral LD50 Rat = $2000 \text{ mg/kg}$	
		Inhalation LC50 (6h) Rat $> 3$ mg/L	

#### 12. ECOLOGICAL INFORMATION

Ecological Toxicity: Mobility:	No data available No data available	
Degradability:	Readily biodegradable. Information given is ba	sed on data obtained from similar products.
Ingredient	CAS #	Toxicological Data
Glycol ether	111-76-2	Aquatic LC50 (96h) MINNOW = 72860 mg/L
-		Aquatic LC50 (48h) Daphnia > 100 mg/L

## **13. DISPOSAL CONSIDERATIONS**

Disposal : Dispose according to Federal, State and local regulations.

#### 14. TRANSPORTATION INFORMATION

AgencyUN NumbeDOTUN1950IATAID8000IMDGUN1950	<b>Proper Shipping name</b>	Hazard Class	<b>Packing Group</b>
	Aerosols, Non- Flammable†	2.2	Not applicable
	Consumer Commodity†	9	Not applicable
	Aerosols, Non- Flammable†	2.2	Not applicable

 $\dagger$  "Limited Quantities" may be applicable for this transportation mode.

## 15. REGULATORY INFORMATION

Warning: This product contains the following che	micals that are subject	to reporting requirements for the	following regulatory bodies listed below:
COMPONENT	CAS #	% BY WEIGHT	Regulatory Body
No components listed in this section.			SARA Section 313
Warning: This product may contain chemicals kno	own to the State of Cal	ifornia to cause cancer. See list be	elow.
No components listed in this section.			Prop65 Cancer
Warning: This product may contain chemicals know	own to the State of Cal	ifornia to cause birth defects. See	list below.
No components listed in this section.			Prop65 Birth Defects
All components of this product are listed on the T	SCA inventory.		
16. OTHER INFORMATION			

Other Information : MSDS Prepared by L. Dean Swartz, MSDS Coordinator

Version Date: 08/26/15

This information contained in this MSDS is believed to be accurate as of the version date, but is not warranted to be. Since the use of this information and the conditions of use of this product are not within the control of Stoner Inc, it is the user's obligation to determine the conditions of safe use.